



MISCELLANEOUS

BRUSHES

LIGHTING TOWER

POST DRIVER

SALTSPREADERS

ACEPLANT

BRUSHES

SYCLONE

- *Sweeper/collector*
- *2.13m width*
- *Hydraulic drive*
- *3point linkage mounted*
- *Hydraulic emptying with maximum discharge*



CONTRACTOR

- *Sweeper*
- *2.3m width*
- *Hydraulic/ PTO driven*
- *3point linkage mounted*



sales@aceplant.co.uk



01908 562191



www.aceplant.co.uk



MK19 6LA

ACEPLANT



Sitesweep

- ***Heavy duty fork mounted sweeper collector with hydraulic drive***
- ***Suitable for Telehandlers and rough terrain trucks***
- ***FSC7 2.13m***
- ***600 litre enclosed hopper***
- ***Floating design***
- ***Supplied with gravity water system as standard***
- ***Optional extras: pressure water system, kerb brush***



sales@aceplant.co.uk



01908 562191



www.aceplant.co.uk



MK19 6LA

ACEPLANT

TL-90 MOBILE LIGHTING TOWER



- Dusk/dawn sensor
- Timer
- Hydraulic 9M mast
- 85 hours of uninterrupted run time on full tank (diesel)
- 360 rotating lamps
- Mast deployment alarm
- Fully banded engine fluids
- Bio degradable oil
- Reduced noise pollution
- Network rail approved

Fuelled weight 1050kg

Continuous power 5.0Kw

Unfuelled weight 933kg

Standby power 5.5Kw

Wind speed: up to 100KM/H

Dimensions (mm)

Transport 2500mm (L) X 1320mm (W) X 2100mm (H)

Deployed 2090mm (L) X 2630mm (W) X 9010mm (H)

Road Legal



Road lighting



Fork pockets



Hook eye lift point



Wind down Stabilisers



4 X 1000W 360°
rotating metal halide



sales@aceplant.co.uk



01908 562191



www.aceplant.co.uk



MK19 6LA



WRAG COMMANDER 300X POST DRIVER



- *3M mast length*
- *300KG hammer*
- *Standard post plate*
- *Hydraulic top link*
- *Hydraulic leg*
- *Standard front and back tilt*
- *Standard power tilt and powerslide*
- *Minimum hydraulic PSI of 1800*
- *2x 1/2" male Q/R probe hydraulic connectors*
- *Cat 2 pins top and lower links*

Weight 750KG



sales@aceplant.co.uk



01908 562191



www.aceplant.co.uk



MK19 6LA



SALT SPREADERS

LOGIC GDS 250

- *Hopper capacity of 465 litres*
- *50mm ball coupling*
- *On road and off road versions available*



LOGIC GDS 150

- *Hopper capacity of 270 litres*
- *50mm ball coupling*
- *On road and off road versions available*

LOGIC PDS150D

- *Hopper capacity of 270 litres*
- *Petrol engine*
- *Spread width 3-14 metre, with 2 speed selectable high and low range, in cab controls*



ACEPLANT

LOGIC PDS150F

- **270 litre capacity**
- **Telehandler mounted**
- **Hydraulic drive**
- **Fork pockets**



TRACTOR WITH SPREADER AND SNOWPLOUGH

- **1500 litre capacity**
- **Adjustable speed/width/application**
- **3 point linkage mount**
- **Hydraulically driven**
- **In cab control box**

