

METBERG ENVIRO

METBERG TROMMEL W3000 & T3000



- *Full service accessibility*
- *Maintenance friendly*
- *Direct drum drive*
- *Interchangeable drum and mesh*
- *Adjustable brush tensioners*
- *Central grease points*
- *Track or wheel mounted*
- *Variable speed feeder and drum*
- *JMG display panel*
- *Minimal set-up time*

Compact Screening
 *YOUR Way*

METBERG ENVIRO



FEED CONVEYOR

Belt Width/Length:	1000mm/7.6M (39"/299")
Belt Spec:	4 Ply 5mm Top
Drive/Tail Drum Dia:	280mm (11")/230mm (9")
Maximum Speed:	180 RPM
Adjustable Speed:	0-13 RPM

FINES CONVEYOR

Belt Width/Length:	900mm/16.0M (36"/630")
Belt Spec:	3 Ply 5mm Top
Drive/Tail Drum Dia:	280mm (11")/230mm (9")
Maximum Speed:	180 RPM

STOCKPILE CONVEYOR

Belt Width/Length:	750mm/8.5M (36"/335")
Belt Spec:	3 Ply 5mm Top
Drive/Tail Drum Dia:	280mm (11")/230mm (9")
Maximum Speed:	180 RPM

CAPACITIES

Hopper:	2.5 Cubic M (3.2Cu Yards)
Fuel Tank:	70 Litre
Hydraulic Tank:	265 Litre

SCREEN DRUM

Drum Diameter:	1.5M (59")
Drum Length:	3.8M (150")
Drive Wheels:	Solid 330mm x 110mm (13"x 4.3")
Speed:	0-20 rpm

MAIN FRAME / AXLE

Axle:	TVZ 7.5 mTons (16530 lb)
Tyres:	235/75R17.5 x2
Hitch:	75mm (3") Pintle
Tracks:	Trackline 2.5M (98.4")

ENGINE

Make/Model:	Caterpillar C2.2 turbo
Gross HP:	60bhp (44.7kW)
Fuel:	Diesel
Pump:	32cc / 36cc Tandem


ELECTRICAL

System Voltage:	12V
Emergency Stops:	2 (1 right & 1 left)
Siren:	Start, Shut down, Low oil, High temp, Filter blockage


**All dimensions are approximate. Metberg Enviro reserves the right to alter the specification without notice*

METBERG ENVIRO


W3000/T3000 WORKING DIMENSIONS




W3000/T3000 TRANSPORT DIMENSIONS




W3000 STOCKPILE WORKING DIMENSIONS




W3000 STOCKPILE TRANSPORT DIMENSIONS



T3000 STOCKPILE WORKING DIMENSIONS



T3000 STOCKPILE TRANSPORT DIMENSIONS



W3000/W3000 STOCKPILE TRANSPORT DIMENSIONS

Length: 8.93M/12.01M (29'4"/39'5")
 Width: 2.1M (6'11")
 Height: 3.2M (10'6")
 Weight: 6 mTons/7 mTons (13200 lb/15400 lb)

T3000/T3000 STOCKPILE TRANSPORT DIMENSIONS

Length: 8.93M/10.77M (29'4"/35'4")
 Width: 2.2M (7'3")
 Height: 3.2M (10'6")
 Weight: 8.5 mTons/9.5 mTons (18700 lb/20900 lb)

**All dimensions are approximate. Metberg Enviro reserves the right to alter the specification without notice*

METBERG ENVIRO



DEALER INFORMATION

Metberg Enviro, 136 Corkhill Road
Omagh, County Tyrone
Northern Ireland, BT78 1UP

Contact: Jody Kinghan
Email: sales@metbergenviro.com
Tel: +44 (0) 7530818901